

Minneapolis BlowerDoor Measurement Systems

BlowerDoor Standard

4,380.00 €

📶 BlowerDoor Standard WiFi

4,580.00 €

BlowerDoor fan with flow rings A–E
Measuring range 19 m³/h up to 7,200 m³/h,
incl. fan cover

Digital pressure gauge DG-700
2 pressure channels, cruise control

**BlowerDoor mounting frame and
BlowerDoor panel (standard size)**
Suitable for dimensions from W 0.71–1.14 m
and L 1.32–2.43 m, incl. transport bag

Software TECTITE Express
Version 4.1 and reference guide available
in EN/DE/FR

Shipment includes

BlowerDoor Standard
BlowerDoor fan with flow rings A–E / accessory bag
incl. fan cover, BlowerDoor panel (standard size),
digital pressure gauge DG-700 with cruise control
function and transport bag, fan speed controller
(220–240 V) incl. gauge board, reference guide,
software TECTITE Express 4.1, tube set incl. T-piece,
capillary tube, calibration certificate for the DG-700
(24 measuring points) and for the BlowerDoor fan
(6 measuring points) / BlowerDoor mounting frame
(standard size) incl. transport bag

📶 BlowerDoor Standard WiFi

See BlowerDoor Standard, plus WiFi-Link



Optional: DG-700 with DAkkS-calibration

Reduced surcharge when initial purchase per DG-700

210.00 €

Recommended configuration

📶 BlowerDoor Standard WiFi

With anemometer testo 425 and always-ready-case, laptop rack,
sealing box and silver grey fan bag

Package price 5,350.00 €



BlowerDoor MiniFan

3,780.00 €

📶 BlowerDoor MiniFan WiFi

3,980.00 €

**Handy BlowerDoor fan (DuctBlaster)
with flow rings 1–4**
Measuring range 5 m³/h up to 2,300 m³/h,
incl. fan cover

Digital pressure gauge DG-700
2 pressure channels, cruise control

**BlowerDoor mounting frame and
BlowerDoor panel (standard size)**
Suitable for dimensions from W 0.71–1.14 m
and L 1.32–2.43 m, incl. transport bag

Software TECTITE Express
Version 4.1 and reference guide available
in EN/DE/FR

Shipment includes

BlowerDoor MiniFan
Handy BlowerDoor fan (DuctBlaster) with flow rings
1–4 incl. connection trim and fan cover, BlowerDoor
panel (standard size), digital pressure gauge DG-700
with cruise control function and transport bag, fan
speed controller (220–240 V) incl. gauge board,
reference guide, software TECTITE Express 4.1, tube
set incl. 2 T-pieces, capillary tube, calibration certi-
ficate for the DG-700 (24 measuring points) and
for the DuctBlaster fan (5 measuring points) packed
in a robust transport bag / BlowerDoor mounting
frame (standard size) incl. transport bag

📶 BlowerDoor MiniFan WiFi

See BlowerDoor MiniFan, plus WiFi-Link



Optional: DG-700 with DAkkS-calibration

Reduced surcharge when initial purchase per DG-700

210.00 €

Recommended configuration

📶 BlowerDoor MiniFan WiFi

With anemometer testo 425 and always-ready-case, laptop rack
and sealing box

Package price 4,650.00 €

This offer is subject to change. With appearance of the new price list all preceding price lists lose their validity.

Minneapolis BlowerDoor Measurement Systems

BlowerDoor MultipleFan **12,450.00 €**

WiFi BlowerDoor MultipleFan WiFi **12,850.00 €**

The BlowerDoor MultipleFan system consists of 3 BlowerDoor fans and 2 digital DG-700 pressure gauges, and was developed for airtightness measurements in large buildings.

BlowerDoor fan with flow rings A–E
Measuring range 19 m³/h up to 7,200 m³/h, incl. fan cover

Digital pressure gauge DG-700
2 pressure channels, cruise control

BlowerDoor mounting frame and BlowerDoor panel (standard size)
Suitable for dimensions from W 0.71–1.14 m and L 1.32–2.43 m, incl. transport bag

Software TECTITE Express
Version 4.1 and reference guide available in EN/DE/FR

Software TECLOG MultipleFan
Version TECLOG3 in English, reference guide available in EN/DE/FR

All DG-700 and BlowerDoor measuring fans come with their calibration certificate (DG-700 24 measuring points, BlowerDoor fan 6 measuring points).

Shipment includes

BlowerDoor MultipleFan
2 measurement systems Minneapolis BlowerDoor Standard / 1 BlowerDoor fan / Accessory bag incl. fan cover, speed controller, BlowerDoor panel (standard size) with 2 openings, BlowerDoor panel (standard size) with 3 openings, software TECLOG MultipleFan, communication jack, COM-Port-Box (4 ports) incl. 2 serial data cables (RS232/2 m), tube set, reference guide / additional upper cross bar / mounting strut short and long / serial data cable on cable drum (2 × RS232/50 m) / 2 laptop racks / attachment: measurement device holder / sealing box

WiFi BlowerDoor MultipleFan WiFi
See BlowerDoor MultipleFan, plus 2 WiFi-Links and Router

Incl. personal instruction in German, English or French (duration 2 hours, on location in Springe-Eldagsen or online).

Optional: DG-700 with DAKK5-calibration **210.00 €**
Reduced surcharge when initial purchase per DG-700

Seminar BlowerDoor MultipleFan

Airtightness measurement in large buildings with multiple BlowerDoor fans

Individual one-day-seminar in German, English or French (on location if desired)

Plus travel expenses/overnight stay 750.00 €



Do you intend to upgrade your Minneapolis BlowerDoor Standard or to combine several MultipleFan systems? Contact us to compile the optimal configuration!

Software for BlowerDoor Measurements

TECTITE Express*

Version 4.1 and reference guide available in EN/DE/FR Automated/semi-automated/manual BlowerDoor test and BlowerDoor test report (included in the system BlowerDoor Standard/ BlowerDoor Standard WiFi, BlowerDoor MiniFan/ BlowerDoor MiniFan WiFi and in the DG-700 as stand-alone device)

185.00 €

TECLOG MultipleFan*

(Version TECLOG3 in English, reference guide available in EN/DE/FR) BlowerDoor test in large buildings (included in the system BlowerDoor MultipleFan/ BlowerDoor MultipleFan WiFi)

185.00 €

Software instruction (duration about 1.5 h) **95.00 €**

Software instruction with installation of devices (duration about 2.5 h) **150.00 €**

Software TECTITE Express* + TECLOG3* Package price 285.00 €

* System requirements: Windows XP and up (full versions)

This offer is subject to change. With appearance of the new price list all preceding price lists lose their validity.

Additional Applications

Bau.Tools BlowerDoor with Sequential Analysis

All-season testing procedure for detecting air leakages with BlowerDoor and thermography

(software and reference guide available in DE/EN/FR)

1 licence **680.00 €**

Required accessories:

WiFi-Link

245.00 €

Laptop rack

148.00 €

Serial data cable on cable drum (2 × RS232/50 m)

120.00 €

External battery box

15.00 €

*System requirements:
full version of the
Windows Vista,
Windows 7 or 8
operating systems*

Minneapolis FlowBlaster

Testing and adjusting supply and exhaust air valves

Incl. FlowBlaster transport bag, FlowBlaster fan attachment, flexible connecting trim, capture hood of 40×40 cm, handles for BlowerDoor DuctBlaster fan including mounting material, holding device for speed controller, jack cable (3 m), silicone tube set (blue/red/transparent), reference guide

NEW

945.00 €

*Expected to be available
for delivery as of mid-March*

Minneapolis Micro Leakage Meter (MLM)

Airtightness tests of ventilation systems

Package contents: Transport bag with MLM flow meter including 4 discs in a padded bag, calibration certificate (4 discs of 5 measuring points each), measuring software TECLOG3 including test report, 2 hoses connecting plates for DuctBlaster fan, connecting hoses of 1 m and 3 m, 4 hose clamps, 5 connecting pieces for ventilation systems, sample roll of Duct Mask, set of rubber bladders, 1 capillary tube, tube set (red and blue of 3 m each, transparent of 10 m), reference guide in English.

NEW



Package variations:

A1 Airtightness testing of ventilation systems – no BlowerDoor Measuring System available

Package content: MLM including accessories (see above), DuctBlaster including rings 1–4 and calibration certificate, speed controller, DG-700 with calibration certificate, reference guide, transport bag

4,820.00 €

*Expected to be available
for delivery as of mid-March*

A2 Airtightness testing of ventilation systems

– BlowerDoor Measuring System MiniFan available

Package content: MLM including accessories (see above)

1,880.00 €

B1 Airtightness testing of ventilation systems, airtightness testing of small buildings

– no BlowerDoor Measuring System available

Package content: MLM including accessories (see above), Measuring System BlowerDoor MiniFan

5,560.00 €

B2 Airtightness testing of ventilation systems, airtightness testing of buildings

– BlowerDoor Measuring System Standard available

Package content: MLM including accessories (see above), DuctBlaster including rings 1–4 and calibration certificate, fan cap, speed controller, Blower Door panel (standard size), reference guide, transport bag

3,660.00 €

*System requirements:
Windows XP and up
(full versions), Excel 2007
and up*

Window and Measurement System

Air permeability test of windows and doors (on-site check)

Package contents: robust transport case with 4 specially manufactured orifice plates of various sizes, measuring software in English with detailed reference guide (available in English, French, German) as well as 5 tarpaulins, scissors and cutter, 5 rolls of PVC adhesive tape, 3 tubes with T-pieces, 4 capillary tubes



Illustration only

395.00 €

*System requirements:
Windows XP and up
(full versions), Excel 2007
and up*

This offer is subject to change. With appearance of the new price list all preceding price lists lose their validity.

Additional Applications

Minneapolis BlowerDoor FireProtection

Door fan test for determining of minimum hold time according to ISO 14520

- Import of TECTITE Express and TECLOG files
- ISO 14520:2006 calculations
- Report edition

1 licence for PC or notebook 1,380.00 €

Required accessories:

BlowerDoor panel (standard size) with 2 openings, field-check-ring, sealing plugs (4 pieces), adhesive labels (6 pieces), timber wedges (10 pieces), capillary tube (2 pieces of 40 cm each), 10 m tube (2 pieces), velcro strap (2 pieces)

525.00 €

*System requirements:
Microsoft Windows 8, 7, Vista, XP / RAM: 1 GB minimum, 2 GB recommended / Hard drive: 500 MB free minimum / Reports: DOCX format, compatible with Microsoft Word 2007 and up, OpenOffice 3.3 and up or LibreOffice 3 and up*

Leakage Detection

Thermal Anemometer

testo 425

Air velocity measuring instrument with digital display with always-ready case

432.00 €



Fog Generators

BlowerDoor HeavyFogger

1,300 W heating power, integrated fluid container (5 l), with 5 l special fluid, weight without canister 8.6 kg

HeavyFogger K – with cable remote control

690.00 €

HeavyFogger F – with radio remote control

840.00 €



BlowerDoor SlightFogger

650 W heating power, integrated fluid container (750 ml), with 2 l special fluid, weight without canister 5.4 kg

SlightFogger K – with cable remote control

499.00 €

SlightFogger F – with radio remote control

649.00 €



BlowerDoor PowerFogger

400 W heating power, accumulator 12 V, integrated fluid container (250 ml), with 250 ml special fluid, weight incl. accumulator 5.6 kg

PowerFogger

680.00 €

PowerFogger F – with radio remote control

830.00 €



BlowerDoor HandFogger

Battery-driven fog generator incl. vaporizer, accumulator 12 V / 70 W and battery charger, 250 ml special fluid, padded case, weight incl. accumulator 630 g

725.00 €



This offer is subject to change. With appearance of the new price list all preceding price lists lose their validity.

Order to: Aísila y Ahorra SL · c/ Colmenas 14, 28270 Colmenarejo

Adress

Company	Phone
Contact person	Fax
Street	e-mail
Postal Code / City	www
Country	

Please inform me about new products and services by e-mail. I may withdraw this consent at any time.

Quantity	Items from price list Measurement Systems and Leakage Detection 02/2016	Page	€/each	Total
	BlowerDoor Standard	1	4,380.00	
	WiFi BlowerDoor Standard WiFi	1	4,580.00	
	BlowerDoor Standard WiFi (recommended configuration)	1	5,350.00	
	BlowerDoor MiniFan	1	3,780.00	
	BlowerDoor MiniFan WiFi	1	3,980.00	
	BlowerDoor MiniFan WiFi (recommended configuration)	1	4,650.00	
	BlowerDoor MultipleFan	2	12,450.00	
	BlowerDoor MultipleFan WiFi	2	12,850.00	
	Seminar BlowerDoor MultipleFan	2	750.00	
	DAkKS-calibration DG-700 (Reduced surcharge when initial purchase per DG-700)	1/2	210.00	
	Software TECTITE Express	2	185.00	
	Software TECLOG MultipleFan	2	185.00	
	Software instruction TECLOG MultipleFan	2	95.00	
	Software instruction TECLOG MultipleFan with installation of devices	2	150.00	
	Software TECTITE Express 4.1 + Software TECLOG3 (set)	2	285.00	
	Bau.Tools BlowerDoor with Sequential Analysis / 1 licence	3	680.00	
	WiFi-Link (without software)	3	245.00	
	Laptop rack	3	148.00	
	Serial data cable on cable drum (2xRS232/50m)	3	120.00	
	External battery box	3	15.00	
	Minneapolis FlowBlaster	3	945.00	
	MLM – Package variations:			
	A1 Airtightness testing of ventilation systems	3	4,820.00	
	A2 Airtightness testing of ventilation systems	3	1,880.00	
	B1 Airtightness testing of ventilation systems, airtightness testing of small buildings	3	5,560.00	
	B2 Airtightness testing of ventilation systems, airtightness testing of buildings	3	3,660.00	
	Window and Door Measurement System	3	395.00	
	Minneapolis BlowerDoor FireProtection / 1 licence for PC or notebook	4	1,380.00	
	Optional accessories Minneapolis BlowerDoor FireProtection	4	525.00	
	Thermal Anemometer testo 425 with always-ready case	4	432.00	
	Fog Generator HeavyFogger K	4	690.00	
	Fog Generator HeavyFogger F	4	840.00	
	Fog Generator SlightFogger K	4	499.00	
	Fog Generator SlightFogger F	4	649.00	
	Fog Generator PowerFogger	4	680.00	
	Fog Generator PowerFogger F	4	830.00	
	Fog Generator HandFogger	4	725.00	

Total amount

Date	Signature
------	-----------